

id 6414

Hinausvene

[2005 DP-1 AHTS Alus, 71 TBP / 5920 BHP myytävänä](#)

Lähetystunnus	6414
Kategoria	Hinausvene
Luokka	ABS
Rakennusvuosi	2005
Lippu	Alankomaiden Antillit
Hinta	\$1,750,000
Lähetysten lisäyspäivä	2022-10-15
lisännyt	Horizon Offshore Services

Mitattu paino

GRT	1674
NRT	502

Laivan mitat

Kokonaispituus (LOA), m	60.7
Aluksen syväys, m	4.9

lisäinformaatio

Päämoottori	- rated 5920 BHP
Itseliikkuva	
Kannet	1

Samankaltaisia laivoja	Näytä samankaltaiset alukset
Pyynnöt	Ostopyynnöt vastaavat
sähköposti	Lähetä sähköpostia



AHTS VESSEL AVAILABLE FOR SALE



5,900 BHP ANCHOR HANDLING TUG/SUPPLY VESSEL

Vessel Characteristics

Length Overall	207.0	681.0
Beam	33.0	108.0
Depth	10.0	32.8
Maximum Draft	10.0	32.8
Maximum Height	27.0	88.6
Freeboard	17.0	52.8
Displacement	1,000.0	3,200.0
Deadweight	1,000.0	3,200.0
Clear Deck Area	200.000	630.000
Clear Deck Area	600.000	1,800.000
Deck Strength	200.000	630.000
Deck Machinery	200 - 1000 BHP, 1000 - 2000 HP, 2000 - 3000 HP, 3000 - 4000 HP, 4000 - 5000 HP, 5000 - 6000 HP, 6000 - 7000 HP, 7000 - 8000 HP, 8000 - 9000 HP, 9000 - 10000 HP	

Capacities

Deck Cargo	200.0	630.0
Fuel Oil	100.000	300.000
Portable Water	100.000	300.000
Fresh Water	100.000	300.000
Diesel/Gas Oil Motor	100.000	300.000
Bulk Tonnage (M/T)	100.000	300.000
Volume Fuel (M³/Day)	100.000	300.000

Further specifications

Machinery

Main Engine (G)	MAN B&W 6S70ME-C
Generator (G)	MAN B&W 6S70ME-C
Propeller (G)	MAN B&W 6S70ME-C
Fuel System	MAN B&W 6S70ME-C
Primary Generator (G)	MAN B&W 6S70ME-C
Secondary Generator (G)	MAN B&W 6S70ME-C
Emergency Generator (G)	MAN B&W 6S70ME-C
Boiler (G)	MAN B&W 6S70ME-C
Deck Crane	MAN B&W 6S70ME-C

Tow/Anchor Handling

Winch	MAN B&W 6S70ME-C
Mooring	MAN B&W 6S70ME-C
Deck Crane	MAN B&W 6S70ME-C
Deck Winch	MAN B&W 6S70ME-C
Deck Crane	MAN B&W 6S70ME-C

Nav/Comms Equipment

Radar	MAN B&W 6S70ME-C
Depth Recorder	MAN B&W 6S70ME-C
Auto Compass	MAN B&W 6S70ME-C
Engine Log	MAN B&W 6S70ME-C
Plotter	MAN B&W 6S70ME-C
Sea Chart	MAN B&W 6S70ME-C

Accommodations

No. of berths	MAN B&W 6S70ME-C
Cabin	MAN B&W 6S70ME-C
Cooling for Cabin	MAN B&W 6S70ME-C
Cable Landing	MAN B&W 6S70ME-C
Hospital	MAN B&W 6S70ME-C

Special Equipment

Dredging	MAN B&W 6S70ME-C
Special Positioning	MAN B&W 6S70ME-C
Auto System	MAN B&W 6S70ME-C
Auto Control System/	MAN B&W 6S70ME-C
Auto Power	MAN B&W 6S70ME-C
Auto Boat	MAN B&W 6S70ME-C

Registration


Flag (IMO)	MAN B&W 6S70ME-C
Year Built (IMO)	MAN B&W 6S70ME-C
Builder	MAN B&W 6S70ME-C
Registration (IMO)	MAN B&W 6S70ME-C

Performance*

Full Consumption (kg/hour)	MAN B&W 6S70ME-C
Maximum	MAN B&W 6S70ME-C
Crude Oil	MAN B&W 6S70ME-C
Minimum	MAN B&W 6S70ME-C
Steady	MAN B&W 6S70ME-C
Range @ 10 knots	MAN B&W 6S70ME-C
Service Fuel	MAN B&W 6S70ME-C
Service Rate	MAN B&W 6S70ME-C
Service	MAN B&W 6S70ME-C
Service	MAN B&W 6S70ME-C
Service	MAN B&W 6S70ME-C
Service	MAN B&W 6S70ME-C
Service	MAN B&W 6S70ME-C

Deck Equipment

Anchor (G)	MAN B&W 6S70ME-C
Anchor Chain	MAN B&W 6S70ME-C
Crane	MAN B&W 6S70ME-C
Capstan (G)	MAN B&W 6S70ME-C
Tugger (G)	MAN B&W 6S70ME-C




DP Capability Plot



Capacity Table

Tank	Capacity	Volume m ³	Dead wt	Dry Bulk	General	Perishable	Break	Other	Other	Other	Other	Other	Other	Other	Other
000000 T0 100	000000	132.8			132.8										
000000 T0 20	000000	77.8			77.8										
000000 T0 30	000000	65.9			65.9										
000000 T0 40	000000	76.6			76.6										
000000 T0 50	000000	74.4			74.4										
000000 T0 60	000000	45.7			45.7										
000000 T0 70	000000	45.9			45.9										
000000 T0 80	000000	74.5			74.5										
000000 T0 90	000000	74.5			74.5										
000000 T0 100	000000	37.0			37.0										
000000 T0 110	000000	37.0			37.0										
000000 T0 120	000000	44.8			44.8										
000000 T0 130	000000	44.8			44.8										
000000 T0 140	000000	41.6			41.6										
000000 T0 150	000000	45.0			45.0										
000000 T0 160	000000	44.7			44.7										
000000 T0 170	000000	44.7			44.7										
000000 T0 180	000000	33.4			33.4										
000000 T0 190	000000	33.4			33.4										
000000 T0 200	000000	18.8			18.8										
000000 T0 210	000000	18.8			18.8										
000000 T0 220	000000	36.8			36.8										
000000 T0 230	000000	11.7			11.7										
000000 T0 240	000000	11.7			11.7										
000000 T0 250	000000	30.8			30.8										
000000 T0 260	000000	86.8			86.8										
000000 T0 270	000000	86.8			86.8										
000000 T0 280	000000	86.7			86.7										
000000 T0 290	000000	86.7			86.7										
000000 T0 300	000000	75.5			75.5										
000000 T0 310	000000	75.5			75.5										
000000 T0 320	000000	45.0			45.0										
000000 T0 330	000000	45.0			45.0										
000000 T0 340	000000	4.9			4.9										
000000 T0 350	000000	5.1			5.1										
Total Volume (m ³)	0.0	662.7	162.8	174.9	93.8	300.0	3.0	111.2	0.0	10.5	0.0	0.0			
Spec. Min. Total Volume (m ³)	0.0	627.5	162.8	168.5	91.5	295.0	2.9	101.0	0.0	10.4	0.0	0.0			



*Capacities shown are for local content. Actual capacities may vary slightly.
 *Capacities shown in RED are excluded from the total volume.
 *Capacities shown in BLUE are included in another Tank's Capacity.
 *Capacities shown in GREEN are reserved for multiple Tank Capacities.