

id 6428

## Hinausvene

[2011 DP2 AHTS OSV - 100 T BP/ 8000 BHP myytävänä](#)

Lähetystunnus	6428
Kategoria	<a href="#">Hinausvene</a>
Luokka	ABS
Rakennusvuosi	2011
Lippu	Marshallsaaret
Hinta	\$3,200,000
Lähetysten lisäyspäivä	2022-10-13
lisännyt	<a href="#">Horizon Offshore Services</a>

## Laivan mitat

Kokonaispituus (LOA), m	67.4
Syvyys, m	7
Aluksen syväys, m	5.9

## lisäinformaatio

Päämoottori	.....2 x 4000bhp
Itseliikkuva	
Kannet	1

Samankaltaisia laivoja	<a href="#">Näytä samankaltaiset alukset</a>
Pyynnöt	<a href="#">Ostopyynnöt vastaavat</a>
sähköposti	<a href="#">Lähetää sähköpostia</a>



Ref: 04262

**DP2 AHTS VESSEL AVAILABLE FOR SALE**



**Key Features:**

- DP2
- 420m<sup>2</sup> Deck Space
- 8000 BHP
- 100T Bollard Pull

**DP2 AHTS**

**Class Notation:** #B1, Towing Vessel, Fire Fighting Vessel Class L, Offshore Support Vessel Class, #L, #AHTS, #AHTS, #DP2-L  
**Place of Build:** China  
**Year of Build:** 2011  
**Flag:** Marshall Island

**Main Particulars:**  
**Design:** Custom VLS and Associates  
**LDA:** 67.00m  
**Breadth:** 14.00m  
**Depth:** 7.00m  
**Max Loaded Draft:** 5.90m

**Performance:**  
**Max Speed:** 13 knots  
**Engine(s) Speed:** 7.4 rpm  
**Bollard Pull:** 100T BP

**Capacity:**  
**Displacement:** 2100 tons  
**Onboard Fuel Tankage:** 2000 Tons  
**Deck Load:** Approx. 800 Tons  
**Crane Deck Dim:** 30m x 14m  
**Deck Area:** 420m<sup>2</sup>  
**Deck Strength:** 15.0m<sup>2</sup>  
**Dry Bulk Capacity:** 4 x 12.5m<sup>3</sup>  
**Dirt / Ballast Water:** 700m<sup>3</sup>  
**Portable Water:** 220m<sup>3</sup>  
**Oil Storage/Used:** 300m<sup>3</sup>  
**Waste:** Sewage Tanks w/ OBM  
**Fuel Oil:** 1100m<sup>3</sup>  
**Foremast Room:** 30m<sup>3</sup>  
**Cooker Room:** 12m<sup>3</sup>

**Deck Equipment:**  
**Capstans:** 2 x 20T @ 15m/min  
**Rigger Winch:** 1 x 10T @ 15m/min  
**Deck Crane:** 2T @ 14m  
**Rescue Boat:** 1 x 8 persons

**Accommodation:**  
**Crew/Pass:** 10T @ 15m/min

**Discharge:**  
**Waste Water:** 1 x 80m<sup>3</sup>/hr @ 100m  
**Ballast / Dirty Water:** 1 x 50m<sup>3</sup>/hr @ 100m  
**Dry Bulk:** 2 x 100m<sup>3</sup>/hr @ 100m  
**Liquid Mud / Slime:** 1 x 80m<sup>3</sup>/hr @ 80m  
**Feed Oil:** 1 x 80m<sup>3</sup>/hr @ 70m

**Propulsion and Main Drive:**  
**HP:** 8000hp  
**Main Engines:** 2 x 8000hp  
**Main Engines: Make / Type:** Wipac W6L2000 / P  
**Propellers:** 2 x CPP with four blades

**Thruster:**  
**Wts:** 2 x 6.0m<sup>3</sup> Thrust  
**Tank:** 1 x 6.0m<sup>3</sup> Thrust

**Main Engine:**  
**Wts:** 2 x 12000 KW  
**Power Generation:** 2 x 180 KW  
**Emergency Generation:** 1 x 15 KW  
**Supply System - Voltage:** 400V/3Ph/3W

**Accommodation:**  
**Single Berth Cabins:** 6 x 1 berths  
**Double Berth Cabins:** 2 x 2 berths  
**Triple Berth Cabins:** 8 x 1 berths  
**Total Accommodation:** 42 berths  
**Wts:**

**Towing and Anchor Handling Wts:**  
**Wts/HP:** 200m<sup>3</sup>  
**Brake Capacity:** 800HP  
**Towing Drum:** 1200m x 40mm  
**Anchor Handling Drum:** 1200m x 40mm  
**Spool:** 2 x 1.45m/ton  
**Shank Use:** 300T SWL  
**Towing Pin:** 300T SWL  
**Shank Wire-Rope:** 1200m x 40mm  
**Wires Ropes:** 300T SWL, 4.0m x 2.0m

**Specialty Positioning System:**  
**DP System:** Comprehensive DP-2 System  
**DP/US:**  
**Reference:** 2 x DGPS + Compass

This technical specifications are for general guidance only and is subject to change without notice. Please Contact

accepts no responsibility, and disclaims all liability for any errors and/or omissions in this specification. The vessel is always offered on "as is, where is" basis.